

## **BAB IV KESIMPULAN**

### **4.1. Kesimpulan**

*Pre treatment blanching* pada suhu 70°C selama 20 menit efektif mengurangi pembentukan akrilamida pada *fried potato strips* sebesar 326±2,07 µg/kg kentang pada suhu penggorengan 150°C.

## DAFTAR PUSTAKA

- Andang. 2010. Ancaman Akrilamida pada Makanan yang Digoreng, Dibakar dan Dipanggang. [http://www.andangfood.com/web/index.php?option=com\\_content&view=article&id=122:ancaman-akrilamida-pada-makanan-yang-digoreng-dibakar-dan-dipanggang&catid=46:teknologi&Itemid=62](http://www.andangfood.com/web/index.php?option=com_content&view=article&id=122:ancaman-akrilamida-pada-makanan-yang-digoreng-dibakar-dan-dipanggang&catid=46:teknologi&Itemid=62)(14 September 2010)
- Astawan, M. 2004. Kentang: Sumber Vitamin C dan Pencegah Hipertensi Kompas Cyber Media – Senior. <http://www.gizi.net> (15 September 2010)
- Burton, W.G. 1966. *The Potato: Third Edition*. New York: Longman Group UK.
- Constanta, M., Maria T., Sevantina M., and D. Modoren. 2006. *Acrylamide in Food-Implication For the Food Industry*. *Buletin USAMYCN*, 62, 293-296.
- El-Saied, M.H., A.M. Sharaf, M.M. Abul-Fadl, and N. EL-Badry. 2008. *Reduction of Acrilamide Formation in Fried Potato Strips by Different Pre-Frying Treatments*. *World J. Dairy & Food Sci.*, 3 (1), 17-24.
- Harahap, Y.. 2006. *Pembentukan Akrilamida dalam Makanan dan Analisinya*. *Majalah Ilmu Kefarmasian*, 3 (3), 107-116.
- Koray, T. Palazoglu, D. Savran, and V. Gokmen. 2009. *Effect of Cooking Method (Baking Compared with Frying) on Acrylamide Level of Potato Chips*. *J. Food Sci.*, 75 (1), E25-E29.
- Moreira, R.G., M. Elena Castell-Perez, and Maria A. Barrufet. 1999. *Deep-Fat Frying: Fundamentals and Applications*. Maryland: Aspen Publishers, Inc.

- Mestdagh, F., T. De Wilde, S. Fraselle, Y. Govaert, W. Ooghe, Jean-Marie D., R. Verhe, C. Van Peteghem, B. De Meulenaer. 2008. *Optimization of The Blanching Process to Reduce Acrylamide in Fried Potatoes.*, *J. Food Sci. and Tech.*, 41, 1648-1654.
- Pedreschi, F., K. Kaack, K. Granby. 2006. *Acrylamide Content and Color Development in Fried Potato Strips.*, *Food Research International*, 39, 40-46.
- Rahmat, R. Rukmana dan Yuyun Y. Oesman. 2003. *Aneka Olahan Kentang*. Yogyakarta: Penerbit Kanisius.
- Romani, S., M. Bacchiocca, P. Rocculi, M. Dalla Rosa. 2009. *Influence of Frying Conditions on Acrylamide Content and Other Quality Characteristics of French Fries.* *J. Food Composition and Analysis*, 22, 582-588.
- Smith, O. 1987. *Potato Processing: Potato chips*. van Nostrand Reinhold Company Inc, New York.
- Singh, J., L. Kaur. 2009. *Advances in Potato Chemistry and Technology: First Edition*. New York: Elsevier Inc.
- Tabin, Amin. 2010. *Klasifikasi kentang (Solanum tuberosum L.)*. <http://amintabin.blogspot.com/2010/09/klasifikasi-kentang-solanum-tuberosum-l.html> (3 Oktober 2010)
- Tajner-Czopek, A., A. Figiel, A. A. Carbonell-Barrachina. 2008. *Effect of Potato Strip Size and Pre-drying Method on French Fries Quality*, *Eur Food . Tech.*, 227, 757-766.
- Wibowo, C., H. Dwiyanti, dan P. Hariyanti. 2006. *Peningkatan Kualitas Potato strips Varietas Granola dengan Metode pengolahan Sederhana*, *Jurnal Akta Agrosia*, 9 (2), 102-109.